

08/972,653



4030C

B4
16

CERTIFICATE OF MAILING (37 CFR 1.8a)

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with the United States Postal Service on the date shown below with sufficient postage as first-class mail in an envelope addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231

9/7/99
(Date)

Michelle N. Kellhofer
(Type or print name of person mailing paper)
Michelle N. Kellhofer
(Signature of person mailing paper)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent application

Applicant: Puterka et al. : Art Unit: 1721
Serial No.: 08/972,653 : Examiner: Richard D. Lovering
Filed: November 18, 1997 : Batch No.: A38
Date Allowed: August 19, 1999
Title: METHOD FOR PROTECTING SURFACES FROM ARTHROPOD INFESTATION

RECEIVED

SEP 18 1999
Publishing Division
Corres/Allowed Files (04)

COMMENTS ON STATEMENT OF REASONS FOR ALLOWANCE
UNDER 37 CFR § 1.312

RECEIVED

Assistant Commissioner for Patents
Washington, D.C. 20231

SEP 17 1999
Publishing Division
04

Dear Sir:

This paper is responsive to the Notice of Allowance mailed August 19, 1999. In the Reply filed June 4, 1999 responding to the Office Action mailed February 4, 1999, one point made was a distinction between calcined kaolin and hydrous kaolin. A number of differences were cited. Upon further review of the June 4, 1999 Reply, Applicants desire to clarify one sentence which detailed one of the distinctions between calcined kaolin and hydrous kaolin. In particular, the June 4, 1999 Reply stated "This is because the plate-like hydrous kaolin structures form a

08/972,653




4030C

well integrated film that is gas impermeable preventing gas exchange at the stomates of a plant (inhibiting stomatal activity)." Applicants would like to clarify this sentence to read --This is because the plate-like hydrous kaolin structures form a well integrated film that reduces gas permeability thereby reducing gas exchange at the stomates of a plant (inhibiting stomatal activity).- - It is believed that this change does not materially affect the thrust of the June 4, 1999 Reply, nor the patentability of the claims.

Should the Examiner believe that a telephone interview would be helpful to expedite favorable prosecution, the Examiner is invited to contact Applicants' undersigned attorney at the telephone number listed below.

In the event any fees are due in connection with the filing of this document, the Commissioner is authorized to charge those fees to our Deposit Account No. 18-0988.

Respectfully submitted,
RENNER, OTTO, BOISSELLE & SKLAR, P.L.L.



Gregory Turocy
Reg. No. 36,952

1621 Euclid Avenue
Nineteenth Floor
Cleveland, Ohio 44115-2191
Telephone (216) 621-1113
Facsimile (216) 621-6165
E:\GT\ENGL\4030USC\Reply3.Res